Town of Natick Natick Board of Health In East Cound St.	FOOD ESTABLISHMENT INSPECTION REPORT				
Natich, MA orphy	Inspection Number Dat	te Time In/Out Inspection Type Client Type	Inspector		
Subway #11444	169C6 12/14		J.Cliff		
251 West Central St.		11:50 AM			
Natick, MA 01760	Permit Number Ris		<u>Core</u> <u>Repeat</u>		
	2	Violation Summarv: 1 0	2		
		and Public Health Interventions			
IN = in compliance OUT= out of compliance N/C Supervisior	IN OUT NA NO COS		N OUT NA NO COS		
1. PIC present, demonstrates knowledge, and performs dutie		15. Food separated and protected			
2. Certified Food Protection Manager		16. Food-contact surfaces; cleaned & sanitzed			
Employee Health	IN OUT NA NO COS	17. Proper disposition of returned, previously served, reconditioned & unsafe foods			
3. Management, food employee and conditional employee knowledge, responsibilities and reporting			N OUT NA NO COS		
4. Proper use of restriction and exclusion		18. Proper cooking time & temperatures			
 Frocedures for responding to vomiting and diarrheal event 		19. Proper reheating procedures for hot holding			
Good Hygienic Practices	IN OUT NA NO COS	20. Proper cooling time and temperature			
6. Proper eating, tasting, drinking, or tobacco use		21. Proper hot holding temperatures			
7. No discharge from eyes, nose, and mouth		22. Proper cold holding temperatures			
Preventing Contamination by Hand	ds IN OUT NA NO COS				
8. Hands clean & properly washed		24. Time as a Public Health Control; procedures & records			
9. No bare hand contact with RTE food or a pre-approved alternative procedure properly allowed			N OUT NA NO COS		
10. Adequate handwashing sinks supplied and accessible		25. Consumer advisory provided for raw/undercooked food			
Approved Source	IN OUT NA NO COS	Highly Susceptible Populations	N OUT NA NO COS		
11. Food obtained from approved source		26. Pasteurized foods used; prohibited foods not offeed			
12. Food received at proper temperature		Food/Color Additives and Toxic Substances	OUT NA NO COS		
13. Food in good condition, safe & unadulterated		27. Food additives: approved & properly used			
14. Required records available: shellstock tags, parasite destruction,		28. Toxic substances properly identified, stored & used			
			N OUT NA NO COS		
Repeat Violations Highlighted in Yello		29. Compliance with variance/specialized process/HACCP			
	Good Reta				
Safe Food and Water	IN OUT NA NO COS	Proper Use of Utensils II 43. In-use utensils: properly stated	N OUT NA NO COS		
30. Pasteurized eggs used where required					
31. Water & ice from approved source		44. Utensils, equip. & linens: property stored, dried & handled			
32. Variance obtained for specialized processing methods		45. Single-use/single-service articles: properly stored & used			
Food Temperature Control	IN OUT NA NO COS				
33. Proper cooling methods used; adequate equip. for temp. control		Utensils, Equipment and Vending IN 47. All contact surfaces cleanable, properly designed.	OUT NA NO COS		
34. Plant food properly cooked for hot holding		47. All contact surfaces cleanable, properly designed, constructed, & used			
35. Approved thawing methods used		48. Warewashing facilities: installed, maintained & used; test strips			
36. Thermometers provided & accurate		49. Non-food contact surfaces dean			
Food Identification	IN OUT NA NO COS		OUT NA NO COS		
37. Food properly labeled; original container		51. Plumbing installed; proper backflow devices			
Prevention of Food Contaminatio	n IN OUT NA NO COS				
38. Insects, rodents & animals not present		JZ. Sewage & waste water property disposed			
39. Contamination prevented in prep, storage & display		53. Toilet facilities: properly constructed, supplied, & cleaned			
40. Personal cleanliness		54. Garbage & refuse properly disposed; facilities maintained			
41. Wiping cloths; properly used & stored		55. Physical facilities installed, maintained & dean 2			
42. Washing fruits & vegetables		56. Adequate ventilation & lighting; designated areas use			
		60. 105 CMR 590 violations / local regulations			

Official Order for Correction: Based on an inspection today, the items marked "OUT" indicated violations of 105 CMR 590.000 and applicable sections of the 2013 FDA Food Code. This report, when signed below by a Board of Health member or its agent constitutes an order of the Board of Health. Failure to correct violations cited in this report may result in suspension or revocation of the food establishment permit and cessation of food establishment operations. If you are subject to a notice of suspension, revocation, or non-nerveal pursuant to 105 CMR 590.000 you may request a hearing before the board of health in accordance with 105 CMR 590.015(B).

O. M. U.

ļ.~

Follow Up Required: V Follow Up Date: 12/31/2022

J.Cliff

Leandro pereira - Expires Certificate #:

FOOD SAFETY INSPECTION REPORT

Page Number 2

Inspection Report (Continued)				ns Highlighted in Yellow	
Subway #11444 251 West Central St. Natick, MA 01760	Inspection Number 169C6	<u>Date</u> 12/14/22	T <u>ime In/Ou</u> t 11:47 AM 11:50 AM		

97 97 Corrected - Establishment -

COS ----- The Original Violation Code was 5-205.11 Using a Handwashing Sink ------ Front hand sink shut off not in use - A handwashing facility shall be maintained so that it is accessible at all times for employee use and may not be used for purposes other than handwashing. An automatic handwashing facility shall be used in accordance with manufacturer's instructions




Time / Temperature Control for Safety

Cold Holding Temperature

22

3-501.16 (A)(2) (B) Proper Cold Holding Temps. - Establishment -

Pr Left cold holding unit not holding temps properly. Pickles 47 degrees *Code: Except during preparation, cooking, or cooling, or when time is used as the public health control as specified under section 3-501.19, and except as specified under paragraph (B) and in paragraph (C) of this section, TCS food shall be maintained at 41°F or less. Eggs that have not been treated to destroy all viable Salmonellae shall be stored in refrigerated equipment that maintains an ambient air temperature of 45°F or less.*



FOOD SAFETY INSPECTION REPORT

Inspection Report (Continued)			s Highlighted in Vellow	,	
Subway #11444 251 West Central St. Natick, MA 01760	Inspection Number 169C6	<u>Date</u> 12/14/22	T <u>ime In/Ou</u> t 11:47 AM 11:50 AM	<u>Inspector</u> J.Cliff	

Physical Facilities

Physical Facilities installed, maintained & cleaned

55 6-501.12 Cleaning. Frequency/Restrictions - Establishment -

C Walkbackbehind prep table - food debris splatter Code: The physical facilities shall be deaned as often as necessary to keep themclean. Except for cleaning that is necessary due to a spill or other accident, cleaning shall be done during periods when the least amount of food is exposed such as after dosing.

55 6-501.12 Cleaning. Frequency/Restrictions - Establishment -

C Walk and top of 3-bay sink-mildew buildup Code: The physical facilities shall be cleaned as often as necessary to keep themclean. Except for cleaning that is necessary due to a spill or other accident, cleaning shall be done during periods when the least amount of food is exposed such as after dosing.

Temperature	S			
Area	Equipment	Product	Notes	Temps
Temperatures in RED identify items in the temperature danger zone. See the report notes for specific details.				
Notes				

Hand sink at 100 degrees temp. Corrected. Cold holding unit - part is on order. Currentlynot in use Call for an inspection prior to use once installed and corrected.