

AMC Theatre Framingham 16
22 Flutie Pass
Framingham, MA 01701

<u>Inspection Number</u>	<u>Date</u>	<u>Time In/Out</u>	<u>Inspection Type</u>	<u>Client Type</u>	<u>Inspector</u>
24F30	10/3/23	2:41 PM 1:08 PM	Routine	Restaurant	C.Rivera
<u>Permit Number</u>	<u>Risk</u>	<u>Variance</u>	<u>Violation Summary:</u>		<u>Priority</u> <u>Pf</u> <u>Core</u> <u>Repeat</u>
BOH150693	2				2 3 3

Foodborne Illness Risk Factors and Public Health Interventions

IN = in compliance OUT= out of compliance N/O = not observed N/A = not applicable COS = corrected on-site during inspection Repeat Violations Highlighted in Yellow

Supervision	IN	OUT	NA	NO	COS	Protection from Contamination (Cont'd)	IN	OUT	NA	NO	COS
1. PIC present, demonstrates knowledge, and performs duties	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15. Food separated and protected	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2. Certified Food Protection Manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16. Food-contact surfaces; cleaned & sanitized	1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Employee Health	IN	OUT	NA	NO	COS	Time/Temperature Control for Safety	IN	OUT	NA	NO	COS
3. Management, food employee and conditional employee knowledge, responsibilities and reporting	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17. Proper disposition of returned, previously served, reconditioned & unsafe foods	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4. Proper use of restriction and exclusion	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18. Proper cooking time & temperatures	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5. Procedures for responding to vomiting and diarrheal events	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19. Proper reheating procedures for hot holding	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Good Hygienic Practices	IN	OUT	NA	NO	COS	20. Proper cooling time and temperature	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6. Proper eating, tasting, drinking, or tobacco use	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21. Proper hot holding temperatures	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. No discharge from eyes, nose, and mouth	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22. Proper cold holding temperatures	1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Preventing Contamination by Hands	IN	OUT	NA	NO	COS	23. Proper date marking and disposition	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Hands clean & properly washed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24. Time as a Public Health Control; procedures & records	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9. No bare hand contact with RTE food or a pre-approved alternative procedure properly allowed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Consumer Advisory	IN	OUT	NA	NO	COS
10. Adequate handwashing sinks supplied and accessible	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	25. Consumer advisory provided for raw/undercooked food	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Approved Source	IN	OUT	NA	NO	COS	Highly Susceptible Populations	IN	OUT	NA	NO	COS
11. Food obtained from approved source	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26. Pasteurized foods used; prohibited foods not offered	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12. Food received at proper temperature	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Food/Color Additives and Toxic Substances	IN	OUT	NA	NO	COS
13. Food in good condition, safe & unadulterated	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	27. Food additives: approved & properly used	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14. Required records available: shellstock tags, parasite destruction,	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	28. Toxic substances properly identified, stored & used	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Repeat Violations Highlighted in Yellow						Conformance with Approved Procedures	IN	OUT	NA	NO	COS
						29. Compliance with variance/specialized process/HACCP	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Good Retail Practices

Safe Food and Water	IN	OUT	NA	NO	COS	Proper Use of Utensils	IN	OUT	NA	NO	COS
30. Pasteurized eggs used where required	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	43. In-use utensils: properly stored	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
31. Water & ice from approved source	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	44. Utensils, equip. & linens: property stored, dried & handled	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
32. Variance obtained for specialized processing methods	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	45. Single-use/single-service articles: properly stored & used	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food Temperature Control	IN	OUT	NA	NO	COS	46. Gloves used properly	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
33. Proper cooling methods used; adequate equip. for temp. control	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Utensils, Equipment and Vending	IN	OUT	NA	NO	COS
34. Plant food properly cooked for hot holding	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	47. All contact surfaces cleanable, properly designed, constructed, & used	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
35. Approved thawing methods used	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	48. Warewashing facilities: installed, maintained & used; test strips	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
36. Thermometers provided & accurate	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	49. Non-food contact surfaces clean	2	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food Identification	IN	OUT	NA	NO	COS	Physical Facilities	IN	OUT	NA	NO	COS
37. Food properly labeled; original container	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	50. Hot & cold water available; adequate pressure	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Prevention of Food Contamination	IN	OUT	NA	NO	COS	51. Plumbing installed; proper backflow devices	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
38. Insects, rodents & animals not present	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	52. Sewage & waste water properly disposed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
39. Contamination prevented in prep, storage & display	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	53. Toilet facilities: properly constructed, supplied, & cleaned	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
40. Personal cleanliness	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	54. Garbage & refuse properly disposed; facilities maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
41. Wiping cloths; properly used & stored	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	55. Physical facilities installed, maintained & clean	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
42. Washing fruits & vegetables	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	56. Adequate ventilation & lighting; designated areas use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
						60. 105 CMR 590 violations / local regulations	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Official Order for Correction: Based on an inspection today, the items marked "OUT" indicated violations of 105 CMR 590.000 and applicable sections of the 2013 FDA Food Code. This report, when signed below by a Board of Health member or its agent constitutes an order of the Board of Health. Failure to correct violations cited in this report may result in suspension or revocation of the food establishment permit and cessation of food establishment operations. If you are subject to a notice of suspension, revocation, or non-renewal pursuant to 105 CMR 590.000 you may request a hearing before the board of health in accordance with 105 CMR 590.015(B).

C. Rivera

C. Rivera

No sig due to covid

Kate Boucher - Expires Certificate #:

Follow Up Required: Y Follow Up Date: _____

FOOD SAFETY INSPECTION REPORT

Page Number

2

AMC Theatre Framingham 16
22 Flutie Pass
Framingham, MA 01701

Inspection Number
24F30

Date
10/3/23

Time In/Out
2:41 PM
1:08 PM

Inspector
C.Rivera

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow

Preventing Contamination by Hands

Adequate handwashing sinks properly supplied and accessible

10 5-205.11 Using a Handwashing Sink - Establishment -

Pf Observed sanitizer spray bottles being stored on multiple hand washing sinks. Sanitizer spray bottles must never be stored on hand washing sinks. *Code: A handwashing facility shall be maintained so that it is accessible at all times for employee use and may not be used for purposes other than handwashing. An automatic handwashing facility shall be used in accordance with manufacturer's instructions.*



Protection From Contamination

AMC Theatre Framingham 16
22 Flutie Pass
Framingham, MA 01701

Inspection Number
24F30

Date
10/3/23

Time In/Out
2:41 PM
1:08 PM

Inspector
C.Rivera

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow

Food Separated and protected

15 **3-302.11 (A)(1) Raw Animal Foods Separated from RTE - Kitchen -**

Pr Observed raw beef hamburger patty's being stored above French Fries. Ensure raw beef hamburger patty's are stored below French Fries. *Code: Food shall be protected from cross-contamination by: (1) Separating raw animal foods during storage preparation, holding and display from: (a) Raw RTE food including other raw animal food such as fish for sushi or molluscan shellfish or other raw RTE food such as fruits and vegetables, and (b) cooked RTE food.*



16 **4-601.11 (A) Equip, Food-Contact Surfaces - Establishment -**

Pf Observed food debris on blade for can opener. Blade must be free from food debris at all times to prevent cross contamination. *Code: Equipment food-contact surfaces and utensils shall be clean to sight and touch.*



Time / Temperature Control for Safety

FOOD SAFETY INSPECTION REPORT

Page Number

4

AMC Theatre Framingham 16
22 Flutie Pass
Framingham, MA 01701

Inspection Number
24F30

Date
10/3/23

Time In/Out
2:41 PM
1:08 PM

Inspector
C.Rivera

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow

Cold Holding Temperature

22 **3-501.16 (A)(2) (B) Proper Cold Holding Temps. - Kitchen -**

Pr Observed Bacon at 48.5°F inside flip top refrigerator on cook line. Employee stated Bacon was cooked in the morning. Employee put bacon in a shallow container and then into walk-in refrigerator to properly cool. *Code: Except during preparation, cooking, or cooling, or when time is used as the public health control as specified under section 3-501.19, and except as specified under paragraph (B) and in paragraph (C) of this section, TCS food shall be maintained at 41°F or less. Eggs that have not been treated to destroy all viable Salmonellae shall be stored in refrigerated equipment that maintains an ambient air temperature of 45°F or less.*

Prevention of Food Contamination

Insect, rodents & animals not present

38 **6-501.111 (C) Controlling Pests - Establishment -**

Pf Observed flies in kitchen and rodent droppings in hallway before concession stand. PIC was able to provide Pest Control Reports and reports stated treating for Mice & Flies. Pest Control currently treating every 2 weeks. *Code: The premises shall be maintained free of insects, rodents, and other pests. The presence of insects, rodents, and other pests shall be controlled to eliminate their presence on the premises by using methods, if pests are found, such as trapping devices or other means of pest control, such as pesticides, must be used according to law and manufacture's instructions.*



Utensils, Equipment and Vending

FOOD SAFETY INSPECTION REPORT

Page Number

5

AMC Theatre Framingham 16
22 Flutie Pass
Framingham, MA 01701

Inspection Number
24F30

Date
10/3/23

Time In/Out
2:41 PM
1:08 PM

Inspector
C.Rivera

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow

Nonfood contact surfaces clean

49 4-602.13 Nonfood -Contact Surfaces - Establishment -

- C** Observed food splatter on flip top refrigerator reach in doors on cook line. Food debris observed on walk-in freezer and walk-in refrigerator floors. Food debris observed inside multiple refrigeration units. Ensure to frequently clean these areas and free from food debris/splatter. *Code: Nonfood contact surfaces of equipment shall be cleaned at a frequency necessary to preclude accumulation of soil residues.*



49 4-602.13 Nonfood -Contact Surfaces - Dry Storage -

- C** Observed flour debris on the floor in Dry Storage Area. Floor must free from flour debris at all times. *Code: Nonfood contact surfaces of equipment shall be cleaned at a frequency necessary to preclude accumulation of soil residues.*



Additional Requirement

Framingham Public Health Department: 508-532-5470

FOOD SAFETY INSPECTION REPORT

AMC Theatre Framingham 16
22 Flutie Pass
Framingham, MA 01701

Inspection Number
24F30

Date
10/3/23

Time In/Out
2:41 PM
1:08 PM

Inspector
C.Rivera

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow

Violations Related to Good Retail Practices

- 60 MA 590.011 (C)(1) Food Allergy Awareness Requirements - Poster - Establishment -**
- C** Observed no Food Allergy Awareness Signposted in food prep areas. Ensure Food Allergy Awareness Sign is always posted in food prep area. *Code: Food establishments that cook, prepare, or serve food intended for immediate consumption either on or off the premises shall prominently display in the employee work area a poster approved by the Department, no smaller than 8.5 by 11 inches, relating to major food allergens. The poster shall include the following information: (a) Major food allergens; (b) Health risks of food allergies; (c) Procedure to follow when a customer states that he or she has a food allergy; and (d) Emergency procedure to follow if a customer has an allergic reaction to a food.*

List 1

IN= In Compliance OUT = Out of Compliance NA = Not Applicable NO= Not Observed

●	Permit up to date and posted?	IN
●	In compliance with allergen reg-poster?	IN
●	Written Menus /signs present (allergen)?	IN
●	Food Protection Manager Cert. Posted?	IN
●	Certified Food Protection Manager's Certificate Posted?	IN
●	Certified in MA Allergy Awareness and Certificate posted?	OUT
●	Staff trained in choke-save for every shift.	IN
●	Ventilation Hood Inspections stickers up to date?	IN
●	Consumer Advisory Present if needed?	NA
●	Food Employee Reporting Agreement available?	IN
●	Procedures outlines for vomit/diarrheal event?	IN
●	All grease traps are operational and up to code?	NO

Temperatures

Area	Equipment	Product	Notes	Temps

FOOD SAFETY INSPECTION REPORT

AMC Theatre Framingham 16
22 Flutie Pass
Framingham, MA 01701

Inspection Number
24F30

Date
10/3/23

Time In/Out
2:41 PM
1:08 PM

Inspector
C.Rivera

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow

Establishment		Diced eggs		41.9 °F
Establishment	Flip Top Middle	Pasta		32.3 °F
Establishment	Reach-In Cooler	Raw chicken breast		40.4 °F
Establishment	Reach-In Cooler	Lettuce		38.6 °F
Establishment	Flip Top Right	Cheese		40.1 °F
Establishment	Flip Top Right	Marinara		41 °F
Establishment	Reach-In Cooler	Sliced cheddar cheese		40.4 °F
Establishment	Flip Top Middle	Raw hamburger		40.1 °F
Establishment	Flip Top Middle	Sliced Tomato		41.3 °F
Establishment	Walk-in Cooler	Cheddar cheese		41.3 °F
Establishment	Flip Top Left	Parm Cheese		41 °F
Establishment		Hot dogs		187.5 °F
Establishment	Walk-in Cooler	Raw hamburger		39.3 °F
Establishment	Flip Top Right	Salsa		38.1 °F
Establishment	Reach-In Cooler	Iceberg lettuce		39.2 °F
Establishment	Flip Top Left	Cheddar cheese		41.9 °F
Establishment	Flip Top Right	Bacon		48.5 °F

Temperatures in **RED** identify items in the temperature danger zone. See the report notes for specific details.

Notes

Ended 3:47pm.

0810@amctheaters.com.

FOOD SAFETY INSPECTION REPORT

Page Number

8

AMC Theatre Framingham 16
22 Flutie Pass
Framingham, MA 01701

Inspection Number
24F30

Date
10/3/23

Time In/Out
2:41 PM
1:08 PM

Inspector
C.Rivera

Inspection Report (Continued)

Repeat Violations Highlighted in Yellow